

■ ANTENNAS

Arslan, Farrukh

"A Novel Dual-Band RFID Antenna for Industrial, Scientific and Medical Radio Band (ISM) Applications," No. 10, Online.

Bulus, Umut

"Antenna Design In Industry vs. Antenna Education at University," No. 1, Online.

Gupta, Utsav; Tan, Antionette; Liu, James; and Lohmeyer, Whitney

"Modern Flat Panel Antenna Technology for Ku-/Ka-Band Communications Systems," No. 9, p. 70.

Hietpas, Kevin

"Applications & Considerations for Double-Ridge Guide Horn Antennas," No. 1, p. 82.

Hietpas, Kevin

"Embedded PCB Antennas for IoT: Design and Implementation Considerations," No. 11, p. 84.

Jovanovic, Sanisa and Radnovic, Ivana

"Circularly Polarized 4 x 4 Uniplanar Antenna Array with a Double Sequential Rotation Feeding Network," No. 3, p. 60.

Oldoni, M.; Moscato, S.; Biscevic, G.; and Solazzi, G.

"A Steering Antenna for Long-Reach mmWave X-Haul Links," No. 10, p. 64.

Ren, Xiufeng; Zhu, Zhaojun; Yang, Ke; and Wang, Yuxin

"Dual-Frequency MIMO Antenna with High Isolation Based on Odd-Even Mode Analysis and Defected Ground Structure," No. 11, Online.

■ CAD/CAM

DeMartino, Hugo; Dunleavy, Morales and Larry

"Model-Based Optimization Outperforms LNA Datasheet Specifications," No. 4, p. 50.

Duvall, Richard

"RF/Microwave EDA: Circuit to System Design Challenges and Solutions," No. 7, Online.

Munn, Jiyoun

"For Robust mmWave Performance: Capture Thermo-Structural Effects with Multiphysics Simulation," No. 7, p. 72.

■ COMPONENTS/SUBSYSTEMS

Traweek, Parker

"Low Phase Noise Oscillators Enable High Speed Optical Modules," No. 4, p. 84.

University of Tlemcen, Algeria and Universite Paris Nanterre, France

"Miniaturization of Broad Bandpass with Metamaterial to Substrate Integrated Waveguide," No. 8, Online.

■ COVER FEATURES

Demcko, Ron and West, Daniel

"Using Off-Chip Passive Components to Maximize GaN Performance & Reduce Cost," No. 10, p. 22.

Glover, Kerry and Peterson, Bror

"UWB: Enhancing Positioning, Safety and Security for Connected Vehicles," No. 9, p. 22.

Green, Mike

"E-Band mmWave Technology for HAPS and LEO Satellite Systems," No. 2, p. 22.

Higham, Eric

"RF GaN: Trends & Directions," No. 6, p. 22.

Higham, Eric

"Defense Market Trends and the Impact on Semiconductor Technology," No. 12, p. 22.

Kim, Jaehoon; Baua, Smit; Gampala, Gopinath; and Hegde, Aniket

"Simulation-Driven Virtual Prototyping of Smart Products," No. 7, p. 22.

Kiuru, Tero and Forsten, Henrik

"Design of a mmWave MIMO Radar," No. 1, p. 24.

Kolta, Emanuel and Hatt, Tim

"5G and Network-Wide Innovations Providing Energy with Lower Power Consumption," No. 5, p. 24.

Ma, Rui; Benosmar, Mouhacine; Komatsuzaki, Yuji; Yamanaka, Koji; and Shinjo, Shintaro

"A New Frontier for Power Amplifiers Enabled by Machine Learning," No. 4, p. 22.

Menlo Micro

"Forward and Reflected IP3 Measurements for Switch Components and Systems," No. 6, Online.

Microwave Journal

"Survey of RF GaN Fabs: Successful Commercialization and Global Supply," No. 6, p. 28.

Morrar, Sam

"Using E-Band for Wideband Satcom: Opportunities and Challenges," No. 8, p. 22.

Nasr, Ismail

"RF GaN Silicon: The Best of Two Worlds," No. 11, p. 22.

National Institute of Technology, Trichy, India

"A Survey of Substrate Integrated Waveguide Bandpass Filter Development," No. 12, Online.

Porterfield, David

"The Impact of Stray Magnetic Fields on the Performance of Faraday Rotation Isolators," No. 4, Online.

Rowell, Corbett; Derat, Benoit; and Cardalda Garcia, Adrian

"Design of a Multiple CATR System for Multiple Angles of Arrival Measurement of 5G mmWave Devices," No. 3, p. 22.

■ DESIGN

Acar, Erkan

"The Path to Lowest Phase Noise: A Fully Integrated Translation Loop," No. 6, p. 58.

An, Shengbiao and Yang, Ruixia

"A 32 to 40 GHz GaAs PIN Limiter-Low Noise Amplifier MMIC with High Power Handling," No. 12, p. 78.

Aue, Volker

"The Open RAN System Architecture and mMIMO," No. 11, p. 70.

Daryoush, Afshin S.; Wei, Kai; Sun, Tianchi; Zhang, Li; Rohde, Ulrich L.; and Poddar, Ajay K.

"Compact and Highly Stable Frequency Synthesizers for Integrated RF Front-Ends," No. 8, p. 60.

El-Bouslemti, R. and Salah-Belkhdja, F.

"Miniaturized Power Divider with Planar Stub Structures," No. 10, p. 54.

Khan, Ameer Taimour; Ali Riaz, Muhammad; Shahid, Humayun; Amin, Yasar; Tenhunen, Hannu; and Loo, Jonathan

"Design of a Cobweb Shape Chipless RFID Tag," No. 5, p. 90.

Li, Yao; Zhu, Xiao-Wei; Tian, Ling; and Liu, Rui-Jia

"2 to 6 GHz, 4 x 4 and 8 x 8 Butler Matrices Based on Slot-Coupled Technology and a Flexible Design Method," No. 12, p. 62.

Liu, Yong-Qin; Ke, Xi-Zheng; and Zhang, Gang

"Miniaturized Microstrip UWB Bandpass Filter with Dual Notched Bands and Improved Out-of-Band Rejection," No. 4, p. 74.

O'Hara, Kenneth M.

"mmWave Beamforming in Dynamic, Urban Environments," No. 11, p. 100.

Sun, Kae-Oh and Zhang, Hai

"Microstrip Branch-Line Coupler with Compact Size and Wideband Harmonic Suppression," No. 10, p. 74.

Wolfspeed

"A Dive Into Integrated PA Topologies for 5G mMIMO," No. 5, Online.

Xia, Qingzhen; Li, Dongze; Chang, Hudong; Sun, Bing; and Lui, Honggang

"K-Band Highly Linear Power Amplifier with Superior Temperature Stability In 90 nm Trap-Rich SOI-CMOS," No. 9, p. 86.

Xia, Xinlin; Zhao, Zhichen; Chen, Fengjun; Cheng, Xu; Luo, Xianhu; and Deng, Xianjin

"Design of Multi-Modulus Programmable Frequency Dividers in 2 μm GaAs HBT Technology," No. 5, p. 102.

Zhang, Zhiwei; Cheng, Zhiqun; and Liu, Guchua

"Broadband, High Efficiency, Class J Power Amplifier Design Method with Compensating Drain-Source Capacitance," No. 3, p. 50.

Zhang, Zhiwei; Li, Chen; and Liu, Guohua

"Improving Linearity of a Doherty Power Amplifier with a Dual-Bias Structure," No. 9, p. 96.

■ DEVICES

Blanchette, Craig; Rochford, Rich; and Davis, Darby

"Fixing the Bane of Costly Component Out Of Pocket Defects," No. 8, p. 74.

Leitner, Jonathan

"RF MEMS Switch Performance In Extreme Environments," No. 12, p. 54.

Zhang, Jincan; Sun, Ligong; Liu, Min; Zhang, Liwen; and Liu, Bo

"Gamma Irradiation-Induced Degradation of the Collector-Emitter Saturation Voltage in InGap/GaAs Single Heterojunction Bipolar Transistors," No. 2, p. 70.

■ GUEST EDITORIALS

Bonnabel, Antoine and Malaquin, Cedric

"Telecom Infrastructure: A Unique Utility," No. 5, p. 62.

Schroeder, Charles

"Early Indications of 6G," No. 9, p. 56.

■ INSTRUMENTS/MEASUREMENTS

Derat, Benoit; Celik, Mert; and Schmitz, Sebastian

"Toward Augmented OTA Testing: Bringing Full-Wave Numerical Modeling and Antenna Measurements Together," No. 1, p. 56.

Eichler, Taro; Philipp, Ute; Mellein, Heinz; and Radler, Lorenz

"Virtual Cable Calibration for OTA Testing of 5G mmWave Devices," No. 5, p. 70.

Geller, Lily; Blount, Paul; and Trantanella, Charles

"Characterization of Additive Phase Noise in Microwave Amplifiers," No. 1, p. 70.

Hendricks, Craig

"Refined Test Approaches for Verifying Wi-Fi 6 Designs," No. 7, p. 62.

Laurent, Jeanmarc and Doan, Chinh

"Choosing an Anechoic Chamber for Over-the-Air mmWave Phased Array Antenna Measurements," No. 3, p. 72.

Mayaka, Cornelius; Shu, Yonghui; and Doshi, Dhanraj

"Contactless Waveguide Flange Enables Faster Measurements," No. 8, p. 50.

Yea, Hwee Yng

"Addressing EMC Challenges In Electric Vehicle Supply Equipment," No. 9, p. 62.

Zhang, Jason; Urbonas, Jonas; Esposito, Giampiero; Arias-Purdue, Andrea; and Rowell, Petra

"On-Wafer, Large-Signal Transistor Characterization from 70-110 GHz Using an Optimized Load-Pull Technique," No. 2, p. 82.

■ PRODUCT FEATURES

Accel-RF

"Sidecar Module Enables RF Reliability Testing at Ka-Band," No. 11, p. 118.

AnaPico Inc. and Berkeley Nucleonics Corp.

"40 GHz, Agile, Phase-Coherent, Multi-Output Vector Signal Source," No. 3, p. 92.

AnaPico Inc. and Berkeley Nucleonics Corp.

"Cost-Efficient, Single- and Multi-Channel VSGs Cover 10 MHz to 40 GHz," No. 5, p. 152.

AnaPico Inc. and Berkeley Nucleonics Corp.

"Phase-Coherent Channels and Switching in Multi-Channel Microwave Signal Generators," No. 12, p. 100.

Analog Devices

"Three Digitally-Controlled Tunable Filters for VHF to 18 GHz Applications," No. 1, p. 92.

Cadence Design Systems Inc.

"Cadence AWR Design Environment Version 16 Enables Integration of Heterogenous Technologies," No. 7, p. 38.

Chenakin, Alexander; Suresh Ojha and Sadashiv

"Rubidium™ Signal Generators Redefine Industry Standards for Spectral Purity and Stability," No. 11, p. 40.

EMITE Ingenieria SL

"1-220 GHz Automated Antenna Feed Carousel for OTA Testing," No. 8, p. 100.

Eravant

"23 to 44 GHz OMT Supports 5G FR2 Bands," No. 3, p. 80.

Eravant

"6 to 44 GHz, 45° Beamwidth Dual Polarized Antenna," No. 5, p. 140.

Eravant

"Waveguide Cal Kits Ensure VNA Measurement Accuracy and Precision," No. 7, p. 82.

EXFO

"Demystifying 5G NR Measurements with a Spectrum Analyzer," No. 9, p. 106.

Exodus Advanced Communications

"27 to 29 GHz, 10 to 40 W Solid-State Power Amplifiers with Optional Synthesizer," No. 4, p. 98.

Exodus Advanced Communications

"1-6 GHz, 600 W Solid-State Linear Power Amplifier," No. 12, p. 108.

Fairview Microwave

"Double-Ridge Waveguide Components," No. 6, p. 52.

HASCO, Inc.

"V-Band Balanced Mixer Offers Full Band Coverage," No. 1, p. 102.

HASCO, Inc.

"Ultra-Flexible RF Cables Eliminate Right-Angle Adapters, Cover 26.5 GHz," No. 12, p. 108.

HUBER + SUHNER AG

"90 GHz Multicoax Interconnect for High Speed Digital Testing," No. 10, p. 88.

HYPERLABS INC.

"30 GHz Traveling Wave Amplifier Designed for 32 Gbps NRZ and PAM4," No. 4, p. 100.

IQ-Analog

"Antenna Processor Enables All-Digital Radar, EW and Communications," No. 9, p. 46.

Junkosha

"Metrology Grade Microwave/mmWave VNA Test Cable Assembly," No. 3, p. 88.

Precision RF Components

- Wide range of high-spec, non-magnetic, stainless steel connectors, In-Series and Between-Series Adapters
- Used where signal integrity and quality are important and a high level of reliability is required
- Precision products include high frequency and can run to 18, 40 or 50 GHz
- Interfaces include K-Type, N, SMA/SMP, TNC, 2.9mm, 2.4mm, BMA, SSMA and many others
- Solderless connectors for semi-rigid cable also available

For more information, please contact one of our sales teams at:


USA: +1 (931) 707-1005 info@intelliconnectusa.com
 UK: +44 (0) 1245 347145 sales@intelliconnect.co.uk

IntelliConnect
 A different kind of Interconnect Solutions Provider
 RF and Microwave Connectors, Adaptors and Cable Assemblies
www.intelliconnectusa.com | www.intelliconnect.co.uk



Monopulse Comparators

1 - 40 GHz, Optional Integrated LNB's, Bias T's, Filters, Amplifiers Available. Contact Factory For Surface Mount Version.



Model Number	Frequency Range (GHz)
MP-12	1.0 - 2.0
MP-24	2.0 - 4.0
MP-48	4.0 - 8.0
MP-812	8.0 - 12.0
MP-1218	12.0 - 18.0
MP-1826	18.0 - 26.5
MP-2640	26.5 - 40.0



50 Intervale Road, Boonton, NJ 07005
Tel: 973-394-1719 • Fax: 973-394-1710
www.etiworld.com

Editorial Index

2021 • Volume 64

Langer EMV-Technik

"10 MHz to 10 GHz Low Noise Pre-amplifier for Boosting Small Signals," No. 12, p. 109.

Maury Microwave

"Test Port Cable Assemblies Reduce Uncertainty, Increase Confidence," No. 3, p. 32.

MegaPhase

"Space Qualified Semi-Rigid Coax Operates to 90 GHz," No. 3, p. 38.

Menlo Microsystems (Menlo Micro)

"Reconfigurable Filter for Military Radio Using MEMS Switches," No. 9, p. 40.

Micram

"Modular, High Speed Prototyping Platform," No. 1, p. 102.

Microchip

"Linear, Ka-Band GaN on SiC MMIC for Satcom Terminals," No. 11, p. 118.

MiniRF Inc.

"45-1220 MHz, 1:1 Balun with High Current Bias Tap," No. 6, p. 76.

Modelithics Inc.

"Modelithics Expands COMPLETE+3D Library for Ansys HFSS," No. 5, p. 154.

MVG

"Fast, Spherical Near-Field Antenna Measurements for Satellite," No. 6, p. 48.

M Wave Design Corporation

"S-, C- and X-Band Combining Networks for High Power Amplifiers," No. 9, p. 46.

NOFFZ Technologies GmbH

"Base Station Emulator Tests Parallel DUTs, Supports 2G to 5G," No. 7, p. 82.

Oculii

"4D Automotive Radar Overlays AI on Existing Hardware," No. 8, p. 96.

Panasonic Corporation

"Ultra-Low Loss Multi-Layer PCBs," No. 10, p. 98.

Pasternack

"High Performance Hybrid Couplers for Wideband Applications to 40 GHz," No. 8, p. 102.

Per Vices

"SDR with Storage for Spectrum Monitoring, Recording and Playback," No. 9, p. 42.

Precision Receivers Inc.

"System Increases Dynamic Range of Digital Receivers," No. 4, p. 94.

Qorvo, Inc.

"Managing Many Devices and Multiple Standards in the Connected Home," No. 2, p. 96.

Remcom Inc.

"Update Provides More Realistic Auto Radar Simulation," No. 3, p. 100.

Remcom Inc.

"Transient EM/Circuit C-Simulation Improves ESD Protection," No. 9, p. 111.

RFHIC Corp.

"30 kW, 900 to 930 MHz, Solid-State Microwave Generator," No. 4, p. 92.

Rohde & Schwarz

"Signal and Spectrum Analyzer with 8.3 GHz Analysis Bandwidth," No. 2, p. 92.

Rohde & Schwarz

"Latest 6 GHz Oscilloscope Tests Multi-Antenna and Multi-Domain Systems," No. 10, p. 84.

Roos Instruments, Inc.

"High-Power Production Test for Base Station Power Transistors," No. 6, p. 76.

Samtec Inc.

"65 GHz, Ganged, Multi-Port, Cable and Board SMPM Solutions," No. 5, p. 153.

Signal Hound

"Affordable, 43.5 GHz Real-Time Spectrum Analyzer Doubles As Vector Signal Analyzer," No. 9, p. 36.

SiTune

"Low-Cost, Low-Power 5G Infrastructure Transceiver Covers All Sub-7 GHz Bands," No. 6, p. 70.

Sivers Semiconductors AB

"2D Beam Steering Module Covers Full 57-71 GHz Unlicensed Band," No. 2, p. 102.

Sivers Semiconductors AB

"16 Channel Beamforming Transceiver RFIC Covers the Full 57 to 71 GHz Unlicensed Band," No. 5, p. 146.

Spectrum Instrumentation GmbH

"I/O Card Offers Logic Analysis and Pattern Generation," No. 5, p. 154.

SynMatrix Technologies Inc.

"Real-Time Tuning Workflow for 5G and mmWave Filters," No. 3, p. 102.

Tamagawa Electronics

"45 GHz Transceiver Platform Supports Custom Design," No. 2, p. 100.

thinkRF

"Portable 20 Watts Power Amplifier Covers 700 MHz to 2.7 GHz Cellular Bands," No. 10, p. 98.

Times Microwave Systems

"Tight Bending mmWave Cable Assemblies for Space-Constrained Systems," No. 10, p. 94.

Werlatone

"Wideband Power Amplifier Design: 50 Ω Operation Is a Curse," No. 1, p. 98.

SPECIAL REPORTS

Besser, Les

"The Birth of Commercial RF/Microwave CAD," No. 5, p. 116.

Cavazos, Jessy

"6G: Innovating the Future of Wireless Communications," No. 5, p. 132.

Cavazos, Jessy

"Four Critical Steps to Deploying 5G Private Networks," No. 11, Online.

Chiu, Poshun and Dogmus, Ezgi

"The RF GaN Device Market: A Roller-Coaster Ride," No. 11, p. 62.

Fenn, Alan

"The MIT Lincoln Laboratory RF Systems Test Facility for Rapid Prototyping," No. 3, Online.

Friedrich, Nancy

"Not Your Parents' 5G: New Use Cases for Military and Government," No. 12, p. 90.

Greene, Charles

"RF Wireless Power: A to Z," No. 4, p. 64.

Hindle, Patrick

"The Year of Transition and Consolidation," No. 12, p. 20.

Pelosi, Giuseppe

"Updating the Historical Record: Gustave Engisch, Not Marconi, Believed to Have Conducted Early Wireless Experiments in Switzerland," No. 4, p. 90.

Editorial Index

Sheffres, Carl

"Zooming Ahead to Atlanta," No. 1, p. 20.

Viot, Mickael; Bizalion, Alexis; and Seegars, Jervais

"Exploring Ultra-Wideband Technology for Micro-Location-Based Services," No. 6, p. 46.

SYSTEMS

Boch, Erik and Kusuma, Julius

"Combining CLOS and NLOS Microwave Backhaul to Help Solve the Rural Connectivity Challenge," No. 5, p. 80.

Gupta, Utsav; Tan, Antionette; Lohmeyer, Whitney; and Lui, James

"Antenna Performance Specifications for Ka/Ku-band User Terminals in Low Earth Orbit (LEO) Satellite Communications Systems," No. 9, Online.

Harman, Stephen

"Holographic Radar Development," No. 2, p. 54.

Watkins, Gavin T.

"Single Antennas Full Duplex Communications Using Variable Impedance Network," No. 8, p. 86.

SUPPLEMENT FEATURES

Cadence

"Automated Workflow for Fast, Accurate EM Analysis of Rigid-Flex PCBs," No. 3, p. 28.

Dahle, R. and Laforge, P.

"Impedance Matching Methods for Additively Manufactured Integrated SMA-to-Waveguide Transitions," No. 3, p. 6.

Friedrich, Nancy

"Satcom: The New mmWave Frontier," No. 6, p. 42.

Hickle, Mark

"Providing Simultaneous Transmit and Receive Capabilities for Defense Systems," No. 6, p. 6.

Mohammadi, Reza and Ndiritu, Simon

"Software-Defined Radio: High Performance, Flexible Technology for Spectrum Monitoring," No. 6, p. 38.

Moreira, Jose; Lam, Daniel; Mendes, Antonio; Moita de Deus, Augusto and Rosas, Bill

"Development and Verification of a 1.85 mm Coaxial Interconnect for mmWave ATE," No. 3, p. 20.

Pasternack

"The Evolution of Interconnects in Cellular Networks: From 4G LTE eNodeB to 5G gNB," No. 3, p. 14.

Quan, Daying; Jian, Huan; Hou, Xiaoyu; and Ji, Xiaoping

"Wideband MIMO Transceiver Based on Software Defined Radio," No. 2, Online.

Ryan, Kelsey

"Accelerating EW System Development, Deployment and Sustainment," No. 9, p. 6.

Stojce Ilcev, Dimov

"Architecture of the Cospas-Sarsat Global Satellite Distress and Safety System for Military Applications," No. 9, p. 14.

Willuhn, Tobias


"Adapting Counter-UAV Systems to the Environment," No. 6, p. 18.

Zhao, Xuhao; Hu, Yongjun; Zhang, Qiang; Yuan, Chengwei; and Zhang, Jiande

"GV, Multi-Way Combiner Using Corrugated Coaxial Waveguide Filters," No. 6, p. 28.

CUSTOMIZED INTEGRATED MICROWAVE ASSEMBLIES

(ULTRA LOW NOISE FREQUENCY SOURCES, FREQUENCY CONVERSION & SYNTHESIS)



- 5 MHz to 18 GHz
- ULN or Golden Phase Noise Performance
- Custom or Standard Housings
- Ruggedized for Dynamic Environments
- Low G-Sensitivity down to 2E-11/g per axis
- Designed and Tested to Customer Specs.
- Screened to MIL Requirements & Temperature Range
- Electronic Warfare, Radar, Communications, Defense, Aerospace, & Commercial Applications



WENZEL ASSOCIATES, INC
2215 Kramer Lane, Austin, Texas 78758

For more info contact us at:
P: 512.835.2038
E: sales@wenzel.com
www.wenzel.com

NEW

Traveling Wave Tube Amplifiers COMPACT COMMERCIAL SERIES

FEATURES:

- Low Noise, High PRF
- Available for Rugged applications
- Increased durability
- Improved control system
- Optional touch-screen interface
- High-powered for pulsed CW operations
- Fully customizable

Quarterwave provides top-notch innovation, quality service and specialized one-on-one approach by our team of expert engineers. With over 30 years experience in the industry, Quarterwave's Traveling Wave Tube Amplifiers (TWTAs), High Voltage Power Systems, and Microwave Tube testing equipment has proven to be unbeatably reliable and versatile.

Quarterwave Corporation, 1500 Valley House Dr. #100, Rohnert Park, CA 94928
Quarterwave.com | T.1(707)793-9105 | F.1(707)793-9245 | Sales@quarterwave.com